

The ABS terminal box range, DABP, with a IP 66, 67 protection degree, is available off the shelf in many different sizes. The DABP range is well suited for demanding environments, since water and dust are prevented from entering the terminal box, thus eliminating the risk for component failure, and with that unnecessary downtime.

Descriere: Cutie ABS, fără halogen, potrivită pentru utilizare în interior. Rezistență redusă la radiații UV.

Material: ABS.

Garnitur: Garnitură din poliuretan integrată în capacul cutiei.

Temperatur de rezisten: Între -40°C și +60°C.

Inflamabilitate: UL94 HB.

Protecție: IP 66/67 | IK 06 (-25°C), IK 07 (+35°C).

Finisaj: RAL 7035.


Aprobri: CE, GOST.

Livrare: Corpul cutiei, capacul plin, șuruburile capacului fabricate din oțel inoxidabil; șuruburile de montare și mufele capacului sunt din poliamidă.


IP 66,67 | IK 06/07




Front view




Sectional side view



Inside box view



Top view



Dimensiune caset				
Î	L	A	Adâncime interior (mm)	Nr. articol
53	55	36	27.5	DABP050504GE
53	65	36	25	DABP050704GE
80	82	56	42	DABP080806GE
80	82	86	72	DABP080809GE
80	120	56	42	DABP081206GE
80	120	86	72	DABP081209GE
80	160	56	42	DABP081606GE
80	160	86	72	DABP081609GE
120	122	56	42	DABP121206GE
120	122	86	72	DABP121209GE
120	160	91	77	DABP121609GE
120	200	86	72	DABP122009GE
150	200	76	62	DABP152008GE
160	240	91	77	DABP162409GE
160	240	121	107	DABP162412GE
230	300	86	72	DABP233009GE
230	300	111	97	DABP233011GE

Notă: Cutia de terminație cu capac transparent poate fi comandată prin înlocuirea indicativului GE cu TE în numărul articolului.

DABP

ABS CUTII TERMINAȚIE
