



The polyester terminal box range, MGRP, a IP 66, 67 protection degree, is available off the shelf in many different sizes. The MGRP range is well suited for indoor and outdoor environments thanks to its total corrosion resistance. Water and dust are prevented from entering the terminal box, thus eliminating the risk for component failure, and with that, unnecessary downtime.

**Material:** Poliester ranforsat cu fibră de sticlă.

**Garnitur:** Livrat standard cu garnitură poliuretan. Garnituri silicon, neopren și EPDM disponibile la cerere.

**Temperatur de rezisten:** -40°C până la +100°C cu garnitură poliuretan standard. -60°C până la +130°C cu garnitură silicon. -35°C to +100°C cu garnitură EPDM. -30°C până la +80°C cu garnitură neopren.

**Inflamabilitate:** UL94 V-0.

**Protecție:** IP 66, 67.

**Finisaj:** RAL 7000.


**Aprobri:** CE, GOST. Pentru cULus\_UL Listed contactați departamentul de vânzări.

**Livrare:** Corpul, capacul și șuruburile capacului fabricate din oțel inoxidabil.


IP 66, 67



Front view




Sectional side view



SECTION A-A

Inside box view



Top view



Dimensiune caset			
î	L	A	Nr. articol
75	80	55	MGRP080806GE
75	80	75	MGRP080808GE
75	110	55	MGRP081106GE
75	110	75	MGRP081108GE
75	160	55	MGRP081606GE
75	160	75	MGRP081608GE
75	190	55	MGRP081906GE
75	190	75	MGRP081908GE
120	122	90	MGRP121209GE
120	220	90	MGRP122209GE
160	160	90	MGRP161609GE
160	260	90	MGRP162609GE
160	360	90	MGRP163609GE
160	560	90	MGRP165609GE
250	255	120	MGRP252612GE
250	400	120	MGRP254012GE
405	400	120	MGRP414012GE

