

# OABP

CUTIE DIN POLICARBONAT, MARE



This ABS terminal box range, OABP, with a IP 66, 67 protection degree, can be extended in depth. It is available off the shelf in many different sizes. Deeper components may be installed when an extension frame, OPCP-EE, is used. The OABP range is well suited for demanding environments, since water and dust are prevented from entering the terminal box, thus eliminating the risk for component failure, and with that unnecessary downtime.

**Descriere:** Cutie ABS, fără halogen, pentru utilizare în interior. Rezistență redusă la radiații UV.

**Material:** ABS.

**Garnitur:** Garnitură din poliuretan integrată în capacul cutiei.

**Temperatur de rezisten:** Între -40°C și +60°C.

**Inflamabilitate:** UL94 HB.

**Protecție:** IP 66/67 | IK 06 (-25°C), IK 07 (+35°C).

**Finisaj:** RAL 7035.

**Aprobri:** CE, GOST.

**Livrare:** Baza cutiei, capacul, șuruburile capacului din poliamidă și șuruburile de montare.


IP 66,67 | IK 06/07




# OABP

CUTIE DIN POLICARBONAT, MARE


Front view




Sectional side view



Inside box view



Top view



Cu capac gri

Dimensiune caset				
î	L	A	Adâncime interior (mm)	Nr. articol
200	200	132	115	OABP202013GE
200	300	132	115	OABP203013GE
200	400	132	115	OABP204013GE

Cu capac transparent

Dimensiune caset				
î	L	A	Adâncime interior (mm)	Nr. articol
200	200	132	115	OABP202013TE
200	300	132	115	OABP203013TE
200	400	132	115	OABP204013TE
300	300	132	115	OABP303013TE
300	400	132	115	OABP304013TE
300	600	132	115	OABP306013TE
400	600	132	115	OABP406013TE

**OABP**

CUTIE DIN POLICARBONAT, MARE

---